



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



Case Vehicle (A): 2000 Chevrolet Type: Tracker 4 x 4, 4-door SUV

Driver: 69-year-old female

CDC: 12-FDMW-1, 12-LZAS-2, 12-FLEE-3, 00-UYLN-2, 03-RZAW-3

SITUATION

(Slide 1) It was daytime, the weather was clear, and (slide 2) the 2-lane asphalt road surface was dry and free of defects. Case vehicle (A) was traveling east at an unknown speed in the eastbound lane. The driver of case vehicle (A), who has diabetes, became light-headed due to low blood sugar, but remained conscious. (Slide 3) As case vehicle (A) approached a stop sign at a T-type intersection, the driver reportedly attempted to stop the vehicle by braking, but pressed on the accelerator pedal by mistake. Case vehicle (A) went through the intersection, exited the east edge of the road surface, ran down a road sign, (slide 4) sideswiped some bushes with its left side, (slides 5, 6 and 7) and struck the edge of the concrete foundation of an outbuilding with its left-front bumper and undercarriage. (Slide 8) Case vehicle (A) then rotated counterclockwise, as evidenced by the gouges in the ground, (slide 9) struck an overhanging tree branch with its right side, and came to rest facing north. The driver of case vehicle (A) was taken to a local area hospital by ambulance and was released the next day.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 10) Overall damage to case vehicle (A) was moderate. (Slide 11) Direct contact damage to the front from contact with the outbuilding began at the left bumper corner and extended 19 cm to the right, resulting in 17-percent vehicle overlap. The maximum crush was 28 cm to the left-front bumper corner.

Using the WinSMASH accident-reconstruction program and (slides 12, 13, 14 and 15) a crush profile measured for case vehicle (A), the following impact severity was calculated for the contact with the outbuilding:

		Calculated Velocity Change - kph (mg		
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	delta V	19 (12)	-19 (-12)	0 (0)

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

(Slides 16 and 17) Damage to the front included the hood, the bumper, both headlight assemblies, and the grille. The hood latch was damaged and jammed closed. The left hood hinge was damaged, but did not separate. The right hood hinge was not damaged. The rear edge of the hood was elevated, but it did not contact the cracked windshield. The left portion of the windshield was cracked.

Left-side damage from side swiping the bushes began at the left-rear bumper corner and extended 139-cm forward. The maximum crush to the left side was 4 cm at the fender. Additionally, (slide 18) the left fender was torn open and crushed rearward from impact with the road sign pole, and (slide 19) the left-front wheel was damaged due to impact with the outbuilding. (Slides 20 and 21) The left upper and lower A- and C-pillars, the left-front roof area, the left roof siderail, both left doors, and the left quarter panel were damaged. The left-front door window glass was broken out. (Slide 22) The lower steering control arm was broken loose, and the left wheelbase was reduced 9 cm.

(Slide 23) On the right side, the front fender, (slide 24) both doors, the upper and lower C- and D-pillars, the quarter panel, and roof siderail were damaged. Damage to the right side from contact with the over hanging tree branch started at the right-rear bumper corner and extended 113 cm forward. The maximum crush to the right side was 4 cm at the upper C-pillar. (Slide 25) There was no significant change in the right wheelbase.

(Slide 26) There was no damage to the rear of the vehicle.

Interior

This vehicle was equipped with steering-wheel and passenger frontal-impact airbags, and (slides 27, 28, 29 and 30) both deployed, probably during the frontal impact with the foundation of the outbuilding. (Slides 31 and 32) There was no damage to the flaps/covers of either the steering-wheel or (slides 33 and 34) the passenger airbag modules. (Slides 35 and 36) There was no damage to the steering-wheel rim or (slide 37) spokes. There was no apparent deflection of the steering column. The following intrusion was noted and measured:

Location	Component	Distance (cm)	Direction
Left side (slide 38)	toepan	14	to rear

In addition, (slide 39) the left foot pad was knocked out of its mount and deflected to the left, the brake pedal was pushed rearward, and the gas pedal was deflected to the right by toepan intrusion, caused by direct contact with the concrete foundation. (Slide 40) The driver's seat was rotated to the left and the center console was rotated to the right. (Slides 41, 42 and 43) There was no other interior damage.

OCCUPANT KINEMATICS AND INJURIES

(Slide 44) The 5-ft, 3-in, 121-lb, 69-year-old female driver was wearing the three-point belt, (slide 45) and the frontal-impact airbag deployed. (Slide 46) A black transfer mark was visible on the plastic D-ring, but there were no witness marks.

On impact with the outbuilding, the driver's torso moved forward into the belt restraints and her face contacted the airbag, (slides 47 and 48) as evidenced by lipstick transferred onto the airbag fabric. The driver sustained a corneal abrasion, with hyphema (blood in pupil) to her left eye, and an abrasion to the left side of her face from the cheek to the jaw, due to contact by the deploying airbag. She sustained a contusion to the left hand, probably due to contact by the deploying airbag, or possibly due to contact with the roof from airbag fling, (slide 49) as evidenced by a mark on the headliner.

The following table and attached drawing (slide 50) summarize the injuries sustained by the driver of case vehicle (A).

Occupant: Driver Restraints: 3-point belt worn; airbag deployed

Age: 69 years Stature: 160 cm (5 ft 3 in)

Gender: Female Mass: 55 kg (121 lb)


		Injury Source		
Injury Description	A.I.S.	Definite	Probable	Possible
Abrasion, cornea of left eye with hyphema (blood in pupil)	1		Airbag	
Abrasion, left side of face from cheek to jaw	1		Airbag	
Contusion, left hand	1		Airbag	Roof (airbag fling)
Maximum A.I.S. Level	1			
	_			
Injury Severity Score	<u>2</u>			

Duplicate columns 1-8 Module G Format 0 2 from the previous card.		GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION /		ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE (0) NO (1) YES (9) UNKNOWN ROAD ALIGNMENT	<u></u>
LOCATION STATE: STATE FIPS CODE AREA (1) URBAN (2) RURAL (9) UNKNOWN	25 26	VERTICAL PLANE (1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN ROAD ALIGNMENT HORIZONTAL PLANE (1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER:	3
ENVIRONMENTAL CONDITIONS LIMITED-ACCESS HIGHWAY (0) NO (1) YES (9) UNKNOWN ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE) (1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER:	<u>O</u> 28	(9) UNKNOWN SURFACE COVERING (10) DRY (21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN (31) SNOW - LOOSE (32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN (41) ICE (51) SLUSH (61) SPILLED GRAVEL (71) OTHER: (99) UNKNOWN	<u>1</u> <u>0</u> 37
(9) UNKNOWN INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR (8) NOT APPLICABLE TYPE OF ROAD SURFACE (1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN	2 30 1 31	VISIBILITY LIMITATION (FOR CASE VEHICLE) (0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION (5) GLARE (6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	38
ROAD DEFECTS (0) NO (1) YES (9) UNKNOWN	<u>Q</u>	(0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	<u>⊘</u> 39

		GENERAL INFORMATION GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	2 40	MECHANICAL MALFUNCTION WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN
(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6	8 42 6 43	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER: COMMENTS:
(0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED (9) UNKNOWN	<u>0</u> 44	

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN CASE VEHICLE ROLLOVER (0) NO ROLLOVER (1) YES, FIRST EVENT	<u>1</u>	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN	2
(2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT)	48	DRIVER ALCOHOL INVOLVEMENT	55
(0) NO (1) YES (9) UNKNOWN MOVING CASE VEHICLE AND	49	(CASE VEHICLE) (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER DRIVER ALCOHOL BAC	56
CONTACTED MOVING VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>O</u> 50	(CASE VEHICLE) (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	8 0 57 58
CASE VEHICLE AND CONTACTED STOPPED VEHICLE (0) NO (1) YES (9) UNKNOWN	51	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	<u></u>
STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>O</u> 52	LIST IMPAIRMENTS MENTION	 IED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN	<u>D</u> 53	POST - CRASH DETAIL MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u>D</u>	 (1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN 	2 60

ACCIDENT DESCRIPTION: Case vehicle (A) was traveling east, At A CASE VEHICLE (A): 2000 Chevrokt	Tracken
T-type intersection the vahish went stepicht. Case OTHER VEHICLE (P)	•
vehicle (A) exited the east edge of the noad, stauch a THIRD VEHICLE (C):	
SIGN with its trout, sideswiped a bush with its left side, struck a nut	
building with its left-thout, then notated countenclockwise and struck	
A ovenhanging tree branch with its right side.	
	NORTH



Duplicate columns 1-8 Module O V Format 0 4 from the previous card. 9 10 11 12	OTHER VEHICLE OV-1
MAKE: NOT APPLICABLE MODEL:	CARGO:
VIN	29
MANUFAC/BODY CODE	VEHICLE TYPE
MAKE/MODEL CODE	PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR
MODEL YEAR	(20) UNKNOWN PASSENGER VEHICLE BODY (24) SUB-MINI (25) MINI (26) SUB-COMPACT
VEHICLE MASS (kg)	(27) COMPACT (28) INTERMEDIATE (29) FULL
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107*, E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107*, E.G. PANEL TRUCK, SUBURBAN)
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) 51	(16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER
TRAVELING SPEED (km/h)	
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY	(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S)
(3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE	BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS)
(NOT APPLICABLE) (9) UNKNOWN	(68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER)
	(99) UNKNOWN WHEELBASE (cm)
	(999) UNKNOWN 58 59 60

Duplicate columns 1-8 Module O V from the previous card. 9 10	Format 0 2	C	OTHER VEHICLE	OV-2
Wheelbase	ORIGINAL SPE	CIFICATIONS Front Overhang		· cm
Curb Weight	kg	Rear Overhang	22 24	cm
Average Track Width	_ cm	Undeformed End Width	(UEW)	cm
Overall Length		Engine Displacement	31 32	L
Overall Width (OAW)	_ cm	Engine: # of Cylinders	33 34	
	VEHICLE [DAMAGE		
	NOT AP	PLICABLE		
•	1**			
_ •				
-				
*	FRONTAL CRAS	SH OVERLAP		
Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N		Direct Damage Length (DI	DL)	cm
Front-End Overlap (Per	cent) = <u>DDL</u> UEW	-		%

Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW)</u> OAW

Duplicate columns 1-8 Module V D Format from the previous card. 9 10	0 4	VEHICLE DESCRIPTION	VD-1
MAKE: <u>Chevrolet</u>		CARGO:	
MODEL: TRACKER 4x4, 4.doo	a SU		
VIN Z C N B J 1	3	C x y 6	29
MANUFAC/BODY CODE $\frac{2}{30} 1 \frac{3}{3}$	<u> 1</u> <u>4</u>	STOLEN VEHICLE	
MAKE/MODEL CODE 29	3 5	(0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 62
MODEL YEAR 2 0 C	2 0		
VEHICLE MASS (kg) O 1 3	<u>5</u>	BODY STRUCTURE	,
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) 49	8 9	(1) BODY & FRAME (2) UNITIZED (3) INTEGRAL-STUB FRAME (4) BODY & PLATFORM FRAME	63
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)	56	(E.G. VW BUG) (5) PARTIALLY UNITIZED (7) OTHER: (9) UNKNOWN	
TRAVELING SPEED (km/h) 9 0000) PARKED OR STOPPED	1 _ 9	TRANSMISSION	
(995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN)	TRANSMISSION (0) NONE (1) AUTOMATIC (2) MANUAL (9) UNKNOWN	
VEHICLE TYPE		LOCATION OF TRANSMISSION	
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR)	21	LOCATION OF TRANSMISSION SELECTOR LEVER	2
(12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR)	60 61	(1) FLOOR (2) CONSOLE	65
(13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON		(3) COLUMN (7) OTHER:	
(16) CONVERTIBLE (18) OTHER PASS. VEH. :		(9) UNKNOWN	
(19) PASSENGER VEHICLE, TYPE UNKNOWN MULTIPURPOSE PASSENGER VEHICLE (21) SMALL HTU ITY (22)		STEERING	
(21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO) (22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN		(1) POWER (2) MANUAL	1
(24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME		(9) UNKNOWN	66
TRUCK (31) PICKUP TRUCK, UNKNOWN		BRAKES	
(32) PICKUP TRUCK, SMALL (DOWNSIZED) (33) PICKUP TRUCK, LARGE		(1) POWER (2) MANUAL	67
(99) UNKNOWN		(9) UNKNOWN	

		VEHICLE DESCRIPTION	VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	<u>2</u>	WHEELBASE <i>(cm)</i> (999) Unknown	<u>2 48</u>
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN AIR CONDITIONING IN VEHICLE	69	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN	<u>O</u> 79
(0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 70		
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN	3 71	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY <u>OUT-LINING NEW PERIMETER</u> OF VEHICLE AND <u>SHADING THE DAMAGED AREAS</u> ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY	
DUAL REAR WHEELS (0) NO (1) YES (9) UNKNOWN	72	TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE	×
ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	<u>3</u>	EXAMPLES BELOW AS A GUIDE. 3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:	
EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN	0 74	FRONT OR REAR	
TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	75	ROOF (REFERENCE TO TOP OF DOOR S OR WINDOW SH	HLL.

Duplicate columns 1-8 from the previous card. Module V D Format 0 2

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS

-2000 GAS TRUCK INDEX

Wheelbase

Front Overhang

Curb Weight

Rear Overhang

$$\frac{O}{2} \frac{7}{2} \frac{7}{24} cm (ers)$$

$$\frac{O}{25} \frac{8}{27} \frac{1}{27} cm (ers)$$

Undeformed End Width (UEW)
$$\frac{1}{28} = \frac{5}{0} = \frac{27}{0}$$
 cm

Average Track Width
$$\frac{1}{13} \frac{4}{1} \frac{6}{15} cm$$
Overall Length $\frac{4}{16} \frac{1}{16} \frac{4}{18} cm$

Engine Displacement


Overall Width (OAW) $\frac{1}{2}$ $\frac{1}{2}$ cm

$$\frac{1}{19} \frac{1}{21}$$
 cm

Engine: # of Cylinders

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS



FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A.

Direct Damage Length (DDL)

$$\frac{0}{35}$$
 $\frac{1}{37}$ cm

Front-End Overlap (Percent) = DDL UEW

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW) OAW

$$\frac{1}{40} \frac{7}{41} \%$$

	A Format 0 2 11 12	DAMAGE DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	3	outbuilding
IMPACT SPEED (km/h)	9 9 9	$\frac{9}{35} \frac{9}{36} \frac{8}{37}$
ESTIMATED BY	1/2	<u>Z</u>
CRUSH (cm)	O 2 8 18 19 20	$\frac{9}{39} \frac{9}{40} \frac{1}{41}$
CDC #1	12. FLEE. 3	98.0000.8
CDC #2	98.0000.0	98.0000.0 49
Duplicate columns 1-8 Module D // from the previous card. 9 10	A Format 0 3	
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	4	CONCRETE
IMPACT SPEED (km/h)	9 9 9 16	$\frac{9}{35} \frac{9}{36} \frac{8}{37}$
ESTIMATED BY	17	₹
CRUSH (cm)	$\frac{9}{18} \frac{9}{19} \frac{9}{20}$	$\frac{9}{9} \frac{9}{40} \frac{8}{41}$
CDC #1	0 0 UYLN 2	98.0000.0
CDC #2	98.0000.0	98.0000.0
Codes	*	
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABLE (9) UNKNOWN IMPACT SPEED	(2) DRIVER (3) POLICE (4) "CRASH" PROGRAM	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
(998) NOT APPLICAE (999) UNKNOWN	(5) OTHER COMPUTER PROGRAM SPECIFY: (7) OTHER: (8) NOT APPLICABLE (NO VEHICLE/NO IMPACT)	CDC (9800000) NOT APPLICABLE (9900000) UNKNOWN

Module <u>D</u> <u>A</u> Format <u>0</u> <u>1</u> 12 Duplicate columns 1-8 DAMAGE from the previous card. MAXIMUM SHEET METAL CRUSH (cm) (999) UNKNOWN 0 2 8 0 9 FRONT RIGHT SIDE 0 0 0 9 REAR LEFT SIDE <u>O</u> <u>O</u> <u>O</u> O O O OROOF **OTHER**

CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE

NOTE: IF CHRONOLOGICAL ORDER IS UNKNOWN, EVENT ORDER IS OPTIONAL.

DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER?

DA-2

(0) NO (1) YES

EVENT NUMBER	IMPACT LOCATION (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN	IMPACT CONFIGURATION FOR CODES, SEE TABLE ON PAGE DA-3.	OBJECT/VEHICLE CONTACTED FOR CODES, SEE TABLE ON PAGE DA-4.
#:1	3	17	77 Sign
#2	¥ 37	2 7	ZT tree
#3	4	17	86 concepte
#4	42 47 47	<u>57</u>	9 8 toundation
#5	<u>4</u>	47	77 tree
#6	57	<u></u> <u></u>	
#7	<u>es</u>	 64	66

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE T) (22) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T) (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS <u>UNKNOWN</u>

UNKNOWN

(99) IMPACT TYPE UNKNOWN

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- (98) OTHER (DESCRIBE)
- UNKNOWN (99)

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

SUB-MINI	< 2286 mm (< 90")
MINI	2286 - 2412 mm (90" - 94.9")
SUB-COMPACT	2413 - 2539 mm (95" - 99.9")
COMPACT	2540 - 2666 mm (100" - 104.9")
INTERMEDIATE	2667 - 2793 mm (105" - 109.9")
FULL.	2794 - 2920 mm (110" - 114.9")
LARGE	2921 - 3174 mm (115" - 124.9")
LIMOUSINE	> 3175 mm (> 125")

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107*, E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

BUS

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc (52) 76 125 cc
- (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
 (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION
- (91) GUARD RAIL, MIDDLE OR UNKNOWN (92) GUARD RAIL, TRAILING SECTION (93) GUARD POST (TIMBER, METAL, CONCRETE)
- (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN) (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

14

	R Format 0 1 12		H RECONSTRUC r av	TION CR-1
	 	PRIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	3		<u>4</u> -	
ΔV (km/h) TOTAL	<u>O</u> 1/15 9/16	32 33 34	9	<u>8</u> —
LONGITUDINAL*	<u>- 0 1 9</u>	35 - 38	9	8 — 72
LATERAL*	+000	8	9	8
NOTE: THESE ΔV COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76
EXAMPLES: 10 km/h = ± <u>0</u> <u>1</u> <u>0</u> -7 km/h = <u>-</u> <u>0</u> <u>0</u> <u>7</u>				
ENERGY DISSIPATED BY CRUSH (kj)	<u>O</u> O Z 6/28	43 - 46	9	8
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	22		09	
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64	
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
MODE	ļ			
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED COMPUTER, PROGRAM	Z 31		<u>5</u>	
SPECIFY: VIUS MAS I				

	R Format 0 2 11 12		H RECONSTRUC	TION CR-2		
	CASE VEHICLE PRIMARY IMPACT CASE VEHICLE SECONDARY IMPA					
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE		
EVENT NUMBER	3		4			
EBS (km/h) TOTAL	<u>0</u> <u>1</u> <u>9</u> <u>16</u>	$\frac{8}{32} \frac{-}{33}$	48 49 50	8 		
LONGITUDINAL*	$\frac{-D}{17} \frac{1}{20}$	35 38	<u>9</u>	<u>8</u>		
LATERAL*	+000	8 —	9 —	8-		
NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76		
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>-</u> <u>0</u> <u>0</u> <u>7</u>						
ENERGY DISSIPATED BY CRUSH (kj)	<u>0</u> <u>0</u> <u>Z</u> <u>6</u> <u>28</u>	8	9 ————————————————————————————————————	8 ————————————————————————————————————		
RECONSTRUCTION						
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	22		09			
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64			
NOT RECONSTRUCTED BECAUSE						
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				•		
MODE				×.		
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	2 31		<u>5</u>			
COMPUTER PROGRAM SPECIFY: VINSARS #						

Duplicate columns 1-8 from the previous card. Module C R Format 0

CRASH RECONSTRUCTION

CR-3

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_{\rm 1}$ TO C $_{\rm 6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

CASE VEHICLE


LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
3	Begin LFBC - 19cm	RFBC to LFBC





PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other No.
- (9) Unknown

	(5) Other (9) Unknown	INTERCAL VER LAN UA A	CRUSH ble below is a s	PROFILI		TIMET!	ERS	umne 1 - 1	10 for oach		al II-
Specific Impact Number	Plane of Impact C-Measur.		Damage Max Crush	Field L	C ₁	C ₂	Plicate col	C ₄	C ₅	C ₆	±D
3	1	19	33	136	33	10	7	6	8	14	-65
	FREE		-5		-5	-1	-0	-0	-1	-5	
	ADjut										
3	ı	019	028	136	028	009	007	006	007	009	-065
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
	5							*			
											
F	5	999	999	999	919	199	999	999	997	914	+999

Module <u>C</u> <u>R</u> Format <u>0</u> <u>4</u>

CRASH RECONSTRUCTION

CR-4

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_{\rm 1}$ TO C $_{\rm 6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

OTHER VEHICLE


LOCATOR

3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.

4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L



DL _____

UDL ____

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other_
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	line in the tab	ole below is a	separate rec	ord (card).	Du	plicate col	umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.	Direct Length (DDL)	Damage Max Crush	Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
-	-										
1											
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2											

Duplicate columns 1-8 Module W T Forms from the previous card.	at <u>0 1</u>	WHEELS AND TIRES WT-1
(0) NO (1) YES (9) UNKNOWN FIAT F	F	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF
(1) REGULAR (2) SNOW F (3) SLICKS (4) ALL WEATHER (MS)	F 3/17 3 RR 3/20	LR ¥
CARCASS CONSTRUCTION (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	F <u>4</u>	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:		

Duplicate columns 1-8 Module F T Format C from the previous card. 9 10 1		FUEL AND FUEL TANKS	FT-1				
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	21				
MAIN TANK LOCATION	122	AUXILIÄRY TANK LOCATION	888 22 24				
MAIN FILLER CAP LOCATION	133	AUXILIARY FILLER CAP LOCATION	888 25 27				
MAIN TANK MATERIAL	1 20	AUXILIARY TANK MATERIAL	28				
TANK AND FILLER CAP LOCATION CODES							
FIRST DIGIT (LONGITUDINAL)							

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
 (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN

Duplicate columns 1-8 from the previous card.

Module <u>F</u> <u>L</u> Format <u>0</u> <u>1</u> 12

FUEL LEAKAGE

FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.

<u>></u>

	ı	11	III	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15					21
#2	22 23			_		29
#3	30 31					37
#4	38 39					45
#5	46 47			 ,		53

I LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP) (19) TANK AREA, DETAILS UNKNOWN
- DELIVERY SYSTEM
- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format 0 from the previous card.	1 12	FIRE	FR-1
WAS THERE FIRE IN (0) NO <u>SKIP</u> PAC (1) YES <u>COMPLE</u>	GE.	CASE VEHICLE?	
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 from the previous card.	Module <u>E</u> 9		0 1	EXTERIOR DAMAGE	ED-1
HOOD PERFORMAN		:		STEERING COL FLEXIBLE COUPLING FLEXIBLE COUPLING TYPE	-
(0) NO (1) YES (8) NOT APPLICAB (9) UNKNOWN	LE			(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT . (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH)	9 26
HOOD LATCH <i>(ES)</i> -	4	RELEASED	$\left \begin{array}{c} O \\ \hline 13 \end{array} \right $	(7) OTHER:	
	-1	DAMAGED	1 1	001711110	
	`	JAMMED	15	COUPLINGDAMAGED (USE CODES FROM HOOD PERFORMANCE) -SEPARATED (COMPLETE)	9 27 28
HOOD HINGES-	-LEFT, D	AMAGED	16	(COMPLETE)	28
		EPARATED	77		
-	RIGHT, D	AMAGED	$\frac{D}{18}$	ENG COMPART TELESCOPING UNIT	
-		EPARATED	16 0 17 0 18 8 19	TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2	<u>8</u> 8
HOOD REMAINED ON VI	EHICLE		1 20	(88) NOT COLLECTED (97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	29 30
REAR EDGE OF HOOD-	-E	ELEVATED	1 21	ORIGINAL LENGTH (mm)	
-con	TACTED WI	NDSHIELD	$\frac{\mathcal{O}}{2}$	F (OR H):	
-PENE	ETRATED WI	NDSHIELD	$\frac{2}{8}$	TELESCOPED LENGTH (mm)	
HOOD LATCH LOCATION	N			G:	
(1) FRONT OF VEHIC	CLE		,	DIFFERENCE (mm)	
(2) COWL AREA (3) SIDE	-		24	F (OR H) - G	
(8) NOT APPLICABLI (9) UNKNOWN	E		D 0	(IF LESS THAN 15mm, ENTER *000*.)	
Engine or Transmi	ISSION M C	DUNT		(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT	8 8 8 31 33
SEPARATION (COMPLE	TE)		ا و	UNKNOWN (993) DEVICE EXTENDED (997) LINARI E TO BE MEASURED	
(0) NO (1) YES (9) UNKNOWN			25	(997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	

		EXTERIOR DAMAGE	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	Q 34	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN	
-A-PILLAR, UPPER	4/35	(8) NOT APPLICABLE <i>(NO DOOR)</i> (9) UNKNOWN	
LOWER	4 36	-FRONT -REAR	0 43 0 44
-B-PILLAR, UPPER LOWER	<u>O</u> 37	DOORS JAMMED CLOSED-	
-C-PILLAR, UPPER	<u>O</u> 38	(0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
- LOWER	4	-FRONT -REAR	⊘ 45 ⊘ 46
-D-PILLAR, UPPER	<u>O</u>		46
LOWER	0 42		

		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	
REAR DOOR REAR DOOR TYPE		WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION?	
(0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING	2/47	(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	50
TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN		SPARE TIRE (0) NO SPARE TIRE	8
Hatchback		 (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED 	51
One-way ————————————————————————————————————		(9) UNKNOWN TRAILER HITCH TYPE	
Two-way or or		(0) NO HITCH	
Clamshell		BALL-AND-SOCKET TYPES	52
Single door		 (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) 	
Double door		(4) LOAD EQUALIZING OTHER TYPES	
HOW DID DOOR OPEN DURING COLLISION?		(5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL. P/U) (7) OTHER (E.G. CLEVIS-AND-PIN)	
(0) DOOR DID NOT OPEN OPENED BECAUSE OF	0 48	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED	
(1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION		TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER	0
(6) COMBINATION OF ABOVE		(1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER	53
(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN		(4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN	
DOOR JAMMED CLOSED (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	<u>∂</u>	(9) UNKNOWN	


		EXTERIOR DAMAGE	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 54	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	<u>0</u>	(98) NOT APPLICABLE <i>(NO DOOR)</i> (99) UNKNOWN	
LOWER	<u>O</u> 56	-FRONT	63 64
-B-PILLAR, UPPER	<u>Q</u>	,	65 66
LOWER	O 58	DOORS JAMMED CLOSED- USE CODES: (0) NO	
-C-PILLAR, UPPER	<u>4</u>	(1) YES (8) NOT APPLICABLE <i>(NO DOOR)</i> (9) UNKNOWN	
LOWER	4	-FRONT	⊘ 67
-D-PILLAR, UPPER	4 61	-REAR	<u>O</u> 68
LOWER	<u>4</u>	VAN REAR DOOR TYPE (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	<u>8</u>


		EXTERIOR DAMAGE	ED-5
WINDSHIELD DAMAGE		WINDSHIELD MARK ON CASE VEHICL	E:
WINDSHIELD CRACKED		I AM I CALP	
(0) NO (1) YES	\ \frac{1}{20}	AD TICH	
(8) NOT APPLICABLE (9) UNKNOWN		LAMISAFF AP TECH LM AS 1	
WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN)			
(0) NO	0	(E6) POT-	
(1) YES (8) NOT APPLICABLE	71	DR-	
(9) UNKNOWN			
CRACKED OR BROKEN BY OCCUPANT CONTACT			
(0) NO (1) YES	72		,
(8) NOT APPLICABLE (9) UNKNOWN	"-	WINDSHIELD CODE	
EXTENT OF BOND SEPARATION		(97) DESCRIBED BUT NOT CODED (98) NOT APPLICABLE (NO WINDSHIELD)	74 7
(0) NONE	<u>D</u>	(99) UNKNOWN	
(1) 1 - 20% (2) 21 - 40 (3) 41 - 60	73	Roof	
(4) 61 - 80 (5) 81 - 99		DID T-ROOF/SUN ROOF OPEN DURING COLLISION?	
(6) TOTAL (7) SEPARATED, AMOUNT		(0) NO (1) YES	8
UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN		(8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF)	76
	EREST O	(9) UNKNOWN R DAMAGE WITH DIMENSIONS (VERTICAL WINDSHIELD AS VIEWED FROM INSIDE.	
& HORIZONTAL) ON THIS DIAGRA	M OF THE	WINDSHIELD AS VIEWED FROM <u>INSIDE</u> .	
1) / /	$\overline{\mathcal{I}}$		7
# /			
		•	
	I		
	I		

Duplicate columns 1-8 Module S C Format C from the previous card.	1 12	STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>D</u>	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1 2 O'CLOCK = 0 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	2 14	(NORMAL STRAIGHT AHEAD) O'CLOCK = 99 UNKNOWN	
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u> 15	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70 - 74 CHALLENGER, 70 - 74 CAPRI, 71 - 77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 78 - HORIZON, 78 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	<u>D</u>	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>O</u>	ORIGINAL DIMENSION (mm) A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>0</u>	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 22

		STEERING WHEEL AND COLUMN	SC 2
C			30-2
STEERING COLUMN		STEERING WHEEL (CONTINUED)	
ENERGY ABSORBING DEVICE			
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 24	(1) OCCUPANT CONTACT (2) AIRBAG	<u>\(\begin{aligned} </u>
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:			
COMPRESSED LENGTH (mm) D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE)			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
LT:			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8		
COLUMN VERTICAL ROTATION		*	
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	<u>O</u>		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	<u>O</u> 322		

							Intrusi	ON IT-1
Location Intrusion	n of on	of Intruded Component		Compa Valu	(All Measurements Are in Centimeters) Comparison Intruded Value — Value = Intrusion			
	11 Toe PAN		1	3) -	117	= /4	×	
					_	-	=	
					_	-	=	
	·				_	-	=	
						•	=	
							=	
					_		=	
							=	
							=	
							=	
							=	
							=	
					_		=	
					_		=	
······································							=	
	(c)	10 TS 30 1 10 10 10 10 10 10 10 10 10 10 10 10	(3)				=	
	, a service of		G	CCUPANT	CONTACT	WORKSHE		
Contact	Co	nterior mponent ontacted	Occupant No. if Known	Body Region if Known		Supporting F	Physical Evidence	Confidence Level of Contact Point
Α		e bolsten	Da	Rt.leg	FAIN	t scuf	4	2
В	Hea	d lipen	Da	Head	Price	blood	/Glass	2
С		,	DR	Head		11		2
D								
E	<u> </u>							
F	<u> </u>							
G								
Н	<u> </u>							
1								
J	ł							





CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.

(1)	LEFT	(3)	RIGHT	•••••		INDIVIDUAL SEAT
(1)	LEFT	(2)	CENTER	(3)	RIGHT	BENCH: FULL WIDTH 3 PASSENGER
(1)	LEFT		LEFT CENTER	٠,	RIGHT (3) RIGHT CENTER	BENCH: FULL WIDTH 4 PASSENGER
(1)	LEFT	(2)	CENTER	(5)	RIGHT & AISLE SPACE	BENCH: PARTIAL WIDTH, LEFT
	LEFT & SPACE	(2)	CENTER	(5)	RIGHT & SPACE	BENCH: PARTIAL WIDTH, CENTERED
(4)	ENTIRE V	ΈHI	CLE WIDTH			CARGO AREA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS

VAN 12 PASSENGER CAPACITY

CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT NUMBER	INJURY NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

(01) INSTRUMENT PANEL

(02) FIRE WALL

(03) TOE PAN

(04) FLOOR PAN

(05) STEERING COLUMN

(06) WINDSHIELD

(07) WINDSHIELD HEADER

(08) A-PILLAR

(09) DOOR PANEL OR SIDE PANEL

(10) WINDOW FRAME

(11) B-PILLAR

(12) C-PILLAR

(13) D-PILLAR

(14) ROOF SIDE RAILS

(15) ROOF OR CONVERTIBLE TOP

(16) BACKLIGHT HEADER

(17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE

(18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE

(19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE

(20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE

(21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE

(22) BACK PANEL/BACK DOOR SURFACE

(23) SEAT CUSHION SURFACE/EDGE

(24) CONSOLE

(25) OTHER (DESCRIBE)

(26) UNKNOWN INTERNAL SURFACES

(28) TRANSMISSION TUNNEL (HUMP)

(29) SIDE FOOTWELL PANEL (KICKPANEL)

(30) SILL

EXTERNAL

(43) HOOD

(44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE

(45) OUTSIDE SURFACE OF CASE VEHICLE

(46) OTHER (E.G. SPARE TIRE, JACK. DÈSCRIBE.)

(49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF ALL THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

(50)WINDSHIELD HEADER A-PILLAR

ROOF SIDE RAIL

(51)INSTRUMENT PANEL

A-PILLAR DOOR PANEL

(52)INSTRUMENT PANEL

A-PILLAR

WINDSHIELD HEADER

(53)DOOR PANEL **B-PILLAR ROOF RAIL**

(54)DOOR PANEL A-PILLAR **ROOF RAIL**

(55)INSTRUMENT PANEL

FLOOR PAN A-PILLAR DOOR FRAME

(56)ROOF RAIL

A-PILLAR **B-PILLAR**

WINDOW FRAME

(57)ROOF RAIL

A-PILLAR **B-PILLAR**

C-PILLAR

DOOR PANEL

(58)ROOF ROOF RAIL

WINDOW FRAME DOOR PANEL

(59)BACKLIGHT HEADER

ROOF C-PILLAR

THIRD SEAT-BACK

(60)ROOF **ROOF RAIL**

> A-PILLAR **B-PILLAR**

C-PILLAR

WINDOW FRAME DOOR PANEL

FLOOR PAN

(61)INSTRUMENT PANEL

TOE PAN

WINDSHIELD HEADER

A-PILLAR **ROOF RAIL** WINDOW FRAME

DOOR PANEL **ROOF**

(62)ROOF

ROOF RAIL C-PILLAR

WINDOW FRAME

FLOOR PAN

SECOND SEAT

DOOR PANEL

(63)ROOF RAIL ROOF

B-PILLAR

WINDOW FRAME

FLOOR PAN

DOOR PANEL

SECOND SEAT

FRONT SEAT

(64)ROOF RAIL **ROOF OR CONVERTIBLE TOP**

A-PILLAR

B-PILLAR

WINDOW FRAME

WINDOW HEADER

(65)WINDSHIELD WINDSHIELD HEADER

ROOF SIDE RAIL

(66)WINDSHIELD

WINDSHIELD HEADER

A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

Duplicate columns 1-8 Module from the previous card.	9 10 Format 0 11 1	12	i	NTRUSION	IT-5
WAS THERE OCCUPANT COM (0) NO <u>DO NOT</u> ANSWER NEXT QUES (9) UNKNOWN <u>SKIP PAGE</u> .	XT QUESTION. SKIP PAGE.	13	/AS INTRUSION CAT (0) NO <u>COMPLET</u> (1) YES <u>SKIP</u> PAG	E PAGE.	
Duplicate columns 1-8 Module from the previous card. NOTE: Each line in the table below		12	s 1 - 12 for each comple	ed line.	
	TRUSIONS IN THIS ORL FOR B, F, G, H, I, J O FOR C ON PAGE IT-4	DER: LEFT TO RIGHT (NN PAGE IT-3	ON ROW; FRONT TO D		ES.
A B C INTRUDING INTRUSION OCC. COMPONENT NUMBER SPACE NO. OR OBJECT	EVENT INTRUSION IN	F G MAXIMUM MAXIMUM ITRUSION INTRUSION AXIS (cm) Z AXIS (cm)	H I OCCUPANT INJURY NUMBER NUMBE	0000.7	K INJURY NUMBER
13-14 15-16 17-18	19 20-21	22-23 24-25	26-27 28-29	30-31	32-33
<u>0 1 </u>	1 14	0000	0000	2 00	00
0 2					
0 3				-	
0 4				-	
0 5				-	
06				-	
0 7 NOTE: USE ADDITIONAL PAGE IF MORE TH	AN 7 INTRUSIONS.				
Duplicate columns 1-8 Module from the previous card.	T Format 0 3 9 10 11 12			•	
NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM	IF DAMA DOOR IN INTRUSIONUMBER	AGE TO DOOR COI NTRUSION, CODE IN DAMAGED COMPONENT 1	MPONENT RESUL COMPONENT DAMAGED COMPONENT 2	TED IN INCRI	EASED
INTRUSION NUMBER CAUSE CODES	A	_	_	FOR COMPONE	ENTS
13 15 (1) DIRECT IMPACT 16 18 (2) INDUCED DAMAGE 19 21 (9) UNKNOWN	B	 	25 29 33 37	(1) A-PILLAR (2) B-PILLAR (3) C-PILLAR (4) LATCH/STR (5) HINGES (7) OTHER: (8) NOT APPLI (9) UNKNOWN	_

Duplicate columns 1-8 from the previous card.

Module I T Format 0 2 11 12

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

-- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

				· · · · · · · · · · · · · · · · · · ·						
A	B OCC.	C INTRUDING COMPONENT		E MAXIMUM INTRUSION	F MAXIMUM INTRUSION	G MAXIMUM	Н	1	J	κ
NUMBER		OR OBJECT	NO.		Y AXIS (cm)		OCCUPANT NUMBER	NUMBER	OCCUPANT NUMBER	INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 8			_							
0 9										
1 0							<u> </u>			
1 1										
1 2										
1 3							— <u> </u>			
1 4										
1 5						——				
<u>1</u> <u>6</u>										
17										
1 8										
1 9			_					ì·-		
2 0										·
2 1										
2 2										
2 3										
2 4			_							
2 5									-	
						ĺ		İ		

Duplicate columns 1-8 from the previous card.	Module <u>I</u>	D Format 0 1	Iv	ITERIOR DAMAGE II	D-1
CO	DES: (0) NO (1) YE (3) NO		(8) NOT APPL		
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING ROOF STRUCTURE T-ROOF/SUN ROOF	13 0 15 0 17 19 0 21 23 0 25 0 27 0 29 0 31 0 33 0 35 37 37	FRONT FOOT CONTROLS O IS O IS IGNITION KEYS REAR VIEW MIRRO IS SUNVISOR/FITTING (S) LEFT SIDE ONLY (S) RIGHT SIDE ONLY (S) RIGHT SIDE ONLY (T) BOTH SIDES O IS O	GS 47 6 48 6 48 6 48 6 48 6 48 6 6 6 6 6 6 6	INSTRUMENT PANEL UPPER PANEL MID PANEL LOWER PANEL ASHTRAY CONTROL KNOBS & LEVERS GLOVE COMPARTMENT AREA INSTRUMENTS PARKING BRAKE RELEASE PARKING BRAKE PEDAL A/C OR UPPER VENT OUTLETS HEATER OR A/C DUCTS RADIO OTHER: *	2 3 8 8 0 8
OTHER: * Left foot pad on dead Peda I	41 43 4	42 8 44		REAR WINDOW WINDOW HEADER CONSOLES VERTICAL ROOF	68 6 9 6 9 71

^{*} MORE THAN ONE ITEM MAY BE NOTED.


Duplicate columns 1-8 Module S T from the previous card. 9 10) <u>2</u> 1 12	SEATS	,	ST-1
FRONT SEAT TYPE OF FRONT SEAT (00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR	DRIVER 0 5 14	PASSENTR 0 5 15 16	FRONT SEAT-BACK SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE	Driver 3	PASSEN'R
(07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE (97) OTHER: (99) UNKNOWN TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	(9) UNKNOWN SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	<u>/</u>	
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>	<u>O</u> 20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE	<u>/</u>	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		<u>/</u>	(9) UNKNOWN RECLINER MECHANISM HELD (0) NO	_(_
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	8 24	(1) YES (8) NOT APPLICABLE (9) UNKNOWN	36	37
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 25	6 26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	<u>[</u>	39
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	27	-	(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>\$\bar{D}\$</u>	<u>ئ</u>
FRONT SEAT ROTATION (0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT	3 28	<u>0</u>	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN HEAD RESTRAINT DAMAGE (0) NONE	2 42	2 43
(3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN			(0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	<u>0</u>	45

			S	EATS	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	PASSEN'R	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN	46	47	CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN		8 -
ADJUSTMENT PROVIDED (1) 2-WAY (2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	48	1 49	(8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED SECOND SEAT-BACK LOCKS	LEFT	Right
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	50	<u>O</u> 51	FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	J	
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	8 /52	% 53	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED	61 1 63 0 65	62 62 64 66
PRE-CRASH POSITION (1) FORWARD - Back fac- (2) MIDDLE (3) REARWARD FF (8) NOT APPLICABLE (9) UNKNOWN	54	<u>3</u>	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	67	68
SECOND SEAT TYPE OF SECOND SEAT (0) NONE (1) NON-FOLDING	LEFT	RIGHT	EQUIPPED BACKREST DAMAGED	\$ 571	70 8
(2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN	2 56	2 57	VEHICLE EQUIPPED WITH	73	74
SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	58	O 59	(0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	7	<u>{</u>

Duplicate columns 1-8 Module A B Format from the previous card.	0 <u>1</u> 1 12	AIRBAG	AB-1
DRIVER SIDE LOCATION OF AIRBAG STEERING WHEEL EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	13	PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	16
DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	14	DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	17
CONDITION OF AIRBAG STEERING WHEEL (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDNOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>O</u>	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDNOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	O 18
DRIVER SIDE AIRBAG STEERING WHEEL TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u></u>	PASSENGER SIDE AIRBAG INSTRUMENT PANEL (GLOVE BOX) TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u>∂</u> 21


AIRBAG AB-2

AIRBAG NUMBER ON DRIVER SIDE:






Driver Airbac




Vents: Y N Tethers: Y N if yes, how many: 2



 $\textbf{AIRBAG} \ \textbf{N} \textbf{UMBER} \ \textbf{ON} \ \textbf{PASSENGER} \ \textbf{SIDE} ;$


None found

Passenger Airbag



Passenger Airbeg Doors

Single Doo



NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 from the previous card. Module O C Format 0 11		OCCUPANT INFORMATION (OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	<u>O</u> 1/13 14	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	$\frac{6}{20} \frac{9}{21}$ $\frac{2}{22} \frac{5}{23}$
OCCUPANT POSITION ROW LOCATION (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	MASS (kg) (999) UNKNOWN (121 16) HEIGHT (cm) (547, 37N) (999) UNKNOWN SEX (1) MALE (2) FEMALE (9) UNKNOWN	$ \begin{array}{c cccc} $
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN POSTURE (10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET (60) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED	1/17 17 19 19 19	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN NON-IMPACT MED. CONDITIONS (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH FATAL (E.G. LOW PRIOR INJURY, STROKE) BLOOD (4) PREGNANT (5) POST-CRASH FATAL (DROWNING)	$\frac{0}{31} \frac{2}{3}$ $\frac{2}{3}$ $\frac{3}{3}$

		OCCUPANT INFORMATION	OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	<u>Z</u>	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	41 4
ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG NOT DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	3 37 38 1 39 2 40	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, RIGHT SIDE (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW: HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED	O 43 O 43

		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	<u>Q</u>	SOURCE OF INFORMATION (i) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	7

OCCUPANT INFORMATION OC-4

INDICATE LOCATION OF INJURIES.



Duplicate columns 1-8 from the previous card.

Module <u>I C Format 0 1</u> 10 11 12

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card).


Duplicate columns 1 - 12 for each completed line.


OCCUPANT INJURY CLASSIFICATION

		······································				PRIM	ARY (OIC		Α	SSOC	IATE	OIC		СОММ	ENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAE START V IN 1ST C	BILITY (HORI WITH MOST I CONTACT AR	N ORDER OF ZONTALLY) . PROBABLE IEA COLUMN. LE CONTACT	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15		
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30		
01	01	87			E	L	A	0	1	_						
1	02	87			F	<u></u>	A	I	1	_		_				
	03	<u>87</u>	25		M	L	<u>c</u>	I	1	_			_	_		
					-		_	_		_	_	_		_		
					_	_			_	-		-		_		
					-		_	_	_	_	_		_	-		
					-				_	_		_		-		
<u>is</u>					-			_	-	_		_	_	-		
te "Occupant Number" for each line.					-	_		_	_	_	_	_	_	-		
Number"					_		_	_	-	_		_		-		
ccupant					_	_	-		-	-	_	_	_	-		
Duplicate "O					-		_		-	_			_	-		
ma 					-	_			-	-	_	_		-		
					-				-	-				-		
					_	_	_	_	-	_				-		
					_	_	_		-	_	_		_	-		
					_	_	_		-	_	_			-		
i		1							-	_			_			

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

		DEL COOO! AI	II OONIAOI
FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)		(19)	HARDWARE ON SIDE OR DOOR
(,		(13)	
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	• • •	ARMREST ON SIDE OR DOOR
(54)	•	(24)	COAT HOOK
(55)	, ,	(**)	
	, ,	(22)	WINDOW GLASS (SIDE)
(56)	• • •	(21)	WINDOW FRAMES (SIDE)
(81)	· · · · · · · · · · · · · · · · · · ·		
(02)		(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
		(15)	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL	(16)	C-PILLAR
(53)	PARCEL TRAY		D-PILLAR
(48)	KNEE RESTRAINT	()	
(86)	VERTICAL CONSOLE	FLOOR	. *
• •			FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	
(==,	i de l'alle (ille l'ille de l'alle l'	, ,	
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(44)	The state of the s
		(85)	
(65)	STEERING WHEEL		FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN		
		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)	(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	
(84)	PARKING BRAKE HANDLE IN FRONT	(24)	COAT HOOK
(67)	IGNITION KEY	, ,	DOME LIGHT
(06)	MIRROR	• •	BACKLIGHT HEADER
(04)	HEATER OR AIR CONDITIONING DUCTS		ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)		ROLL BAR
(08)	RADIO (BUILT IN)	(69)	NOLL BAR
(58)	ADD-ON TAPE DECK, RADIO, A/C	Everno	D Currence of Charles
	ROOF MOUNTED CONTROLS/CONSOLES		R SURFACE OF CASE VEHICLE
(68)	HOOF MOUNTED CONTROLS/CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
D			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)		(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)	REAR WINDOW		OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
		(64)	TIRES OF CASE VEHICLE
INTERIOR	R-GENERAL	(4.)	THE OF ONCE TELLIOLE
(11)	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	BEYOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN		AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	
(07)		• •	HOOD OF OTHER VEHICLE
(84)	PARKING BRAKE HANDLE IN FRONT	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
			OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
(22)	EDONT OF AT DAOK (O)	(75)	TRUNK OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)	REAR SEAT CUSHION & BACK	(78)	GROUND
(49)	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
		(55)	OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE		OTTWATEN. FLEASE DESCRIBE.)
(34)		DENETO	ATING OBJECTS
	AIR CUSHION SKIN (AIRBAG)		
			OTHER VEHICLE
(47)	• •	(72)	OBJECTS (DESCRIBE)
(46)		• •	
(48)	KNEE RESTRAINT	MISCELL	ANEOUS
(30)	HEAD RESTRAINT	(00)	NO CONTACT (INVALID FIELD FORM CODE)
(42)	CHILD SEAT RESTRAINTS	(38)	OTHER (E.G. FIRE. DESCRIBE)
(43)	CHILD SEAT	, ,	SPARE TIRE
(31)	INTERIOR LOOSE OBJECT	, ,	INDUCED
	OTHER OCCUPANT(S)		EJECTED, UNKNOWN CONTACT
(52)	INTERNAL FLYING GLASS (FROM ANY SOURCE)		IMPACT FORCE, "WHIPLASH".
	UNKNOWN INTERIOR SURFACE	(30)	
,,		(00)	HYPEREXTENSION/COMPRESSION
		(33)	UNKNOWN AREA OF CONTACT





INJURY CLASSIFICATION IC-4

CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)								
1	BODY REGION	3	LESION	4	SYSTEM/ORGAN			
	(H) HEAD/SKULL		(L) LACERATION		(S) SKELETAL			
	(F) FACE		(C) CONTUSION		(V) VERTEBRAE			
	(N) NECK		(A) ABRASION		(J) JOINTS			
	(S) SHOULDER		(F) FRACTURE		(D) DIGESTIVE			
	(X) UPPER EXTREMITIES		(P) PERFORATION,		(L) LIVER			
	(A) ARM (UPPER)		PUNCTURE		(N) NERVOUS SYSTEM			
	(E) ELBOW		(K) CONCUSSION		(B) BRAIN			
	(R) FOREARM		(V) AVULSION		(C) SPINAL CORD			
	(W) WRIST/HAND		(R) RUPTURE (S) SPRAIN		(E) EARS			
	(C) CHEST		(D) DISLOCATION		(O) EYES			
	(M) ABDOMEN		(N) CRUSH		(A) ARTERIES			
	(B) BACK		(M) AMPUTATION		(H) HEART			
	(P) PELVIC/HIP		(B) BURN		(Q) SPLEEN			
	(Y) LOWER EXTREMITIES		(G) DETACHMENT,		(G) UROGENITAL			
	(T) THIGH		SEPARATION		(K) KIDNEYS			
	(K) KNEE		(Z) FRACTURE AND DISLOCATION		(R) RESPIRATORY			
	(L) LEG (LOWER)	•	(T) STRAIN		(P) PULMONARY/LUNGS			
	(Q) ANKLE/FOOT		(E) TOTAL SEVERANCE,		(M) MUSCLES			
	(O) WHOLE BODY		TRANSECTION		(T) THYROID, OTHER ENDOCRINE GLAND			
	(U) UNKNOWN		(O) OTHER		(I) INTEGUMENTARY (SKIN)			
	*		(U) UNKNOWN		(W) ALL SYSTEMS IN REGION			
	\$ 1 m				(U) UNKNOWN			
	,				• •			
2	ASPECT (R) RIGHT	В	SYS	5	SEVERITY (OR "AIS", ABBREVIATED INJURY SCALE)			
	(L) LEFT	BODY RE	SEN SYSTEM/C		(0) NONE			

- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

NORGAN LESION ASPECT REGION 1 2 3 4 5

- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN











18/00#5





18700#7



N 18700#8



418700#



































































8/00#4















